

ACTICO SaaS Technical Documentation

Version 2.2, 2026-09-04

Table of Contents

1. Cloud Services Overview and Scope	1
1.1. Location of Services	1
1.2. Audits and Certifications	2
1.3. Control Environment	2
2. General Architecture and Data Segregation	3
2.1. Infrastructure Components	3
2.2. GitOps	5
2.3. Physical Security	6
3. Operational System Access	6
3.1. Granting and Changing Access	7
3.2. Periodic User Access Review	7
4. Network Segmentation	7
5. Encryption	8
6. Private Interconnectivity	10
7. Firewall	10
8. Services System Access	11
9. Services User Management	11
10. Connectivity Identity Provider Customer	12
11. Passwords	12
12. Reliability	12
13. Data Backup and Disaster Recovery	13
14. Governor Limits	14
15. Security Monitoring and Analysis Tools	14
16. Vulnerability and Patch Management	16
17. Malware Scans	16
18. Viruses	17
19. Penetration Tests	17
20. Review Process (Security Logs)	17
21. Security Monitoring	17
22. Incident Management	18
23. Change Management	18
24. Release Management and Maintenance	19
25. Maintenance Windows	20
26. Availability Monitoring	20
27. Business Continuity	21
28. Analytics	21

Technical Documentation of Actico Services in regard to Security, Privacy and Architecture.

1. Cloud Services Overview and Scope

Actico Services are subscription-based software services, used as Software as a Service (SaaS) and designed to provide high performance, scalability, security, data privacy and protection, management capabilities and service levels required for mission-critical applications.

Actico Services are operated on the following cloud infrastructure providers:

- **AWS (Amazon Web Services)** — the original and primary hosting platform for Actico Services. Currently hosts the ACTICO Platform and the ACTICO Compliance Suite (ACS).
- **Azure (Microsoft Azure)** — hosting platform for the Asset Administration Services. Currently hosts First, Flextax, FinRP and FinXN.
- **StackIT** — hosting platform being introduced for Actico Services, intended for customers who value hosting with an EU-based provider. Hosts the ACTICO Platform and the ACTICO Compliance Suite (ACS), as well as the Asset Administration Services.

The scope of this description is the operation of all Actico Cloud Services, across all of the cloud infrastructure providers listed above.

The development process is not in scope of this document.

1.1. Location of Services

The available regions depend on the cloud infrastructure provider. All data is processed within the chosen region. No customer data is transferred from one region to another.

AWS

Actico hosts in the following AWS regions, which can be chosen by the customer:

- Europe — Frankfurt (Region eu-central-1)
- USA — North Virginia (Region us-east-1)
- Asia Pacific — Singapore (Region ap-southeast-1)

On request, Actico also offers hosting in the AWS European Sovereign Cloud, a separate AWS partition operated within the EU for customers with additional data residency and sovereignty requirements. All AWS-related statements throughout this document that apply to the AWS Europe (Frankfurt) region apply equally to the AWS European Sovereign Cloud. For customers who value hosting with an EU-based provider, this is offered by Actico as an alternative to StackIT.

Azure

Actico hosts the Asset Administration Services in the following Azure region:

- Europe — Germany West Central (Frankfurt)

StackIT

Actico hosts in the following StackIT region:

- Germany South (Region eu01)

1.2. Audits and Certifications

Actico Services undergo security assessments by internal personnel and third parties, which include infrastructure vulnerability assessments and application security assessments performed at least on annual basis.

The following and privacy-related audits and certifications are applicable to one or more of the Actico Services:

- SOC 2 (AICPA)
- ISO 9001 Quality Management
- ISO 20000-1 Service Management
- ISO 22301 Business Continuity Management
- ISO 27001 Information Security Management

The design and operating effectiveness of security, availability, processing integrity, and confidentiality controls are analyzed by a third party at least once per year. These assessments include external (e.g. ISO audits, IDW PS 951 audit, SOC 2) and internal evaluations (e.g. risk assessments and vulnerability scans). The results and findings from these assessments are addressed with corrective actions, which are tracked by the Quality Manager (QM) or Internal Audit (IA) to substantiate that they are addressed in a timely manner.

The ISO certifications listed above (9001, 20000-1, 22301, 27001) cover Actico Services across AWS, Azure and StackIT. SOC 2 (AICPA) currently covers the AWS-hosted services only; extending the SOC 2 scope to the Azure and StackIT-hosted services is planned but not yet completed.

Actico uses infrastructure provided by its cloud infrastructure providers to host or process customer data submitted to Actico Services. Information about security and privacy-related audits and certifications received by the providers is available from their respective compliance resources: the AWS Security and Compliance Websites, Microsoft's Trust Center / Service Trust Portal for Azure, and StackIT's own compliance/trust resources.

1.3. Control Environment

Actico maintains reasonable and appropriate technical and organizational measures, internal controls, and information security routines intended to help protect customer data against accidental loss, destruction or alteration as well as unauthorized disclosure or access.

The collective control environment encompasses management and employee efforts to establish

and maintain an environment that supports the effectiveness of specific controls. Actico maintains an internal Management System describing the policies, boundaries and user responsibilities.

Actico has written agreements with their sub-processors containing privacy, data protection and data security obligations that provide a level of protection appropriate to the processing activities provided by them. Compliance with such obligations as well as the technical and organizational measures implemented by Actico, and its sub-processors are subject to regular audits.

2. General Architecture and Data Segregation

Actico composes managed services of the respective cloud infrastructure provider together with container-based workloads to build Actico Services and manages those containers in Kubernetes clusters. A managed Kubernetes service (e.g. AWS EKS) is used for orchestration. Actico Services are operated in two models:

Shared Setup

The Kubernetes Cluster hosts multiple customers. It is a multitenant architecture with mostly physical and partly logical separation of customer data. Data for user management is logically separated (by "realm") and other customer data is completely separated physically from other customer data by dedicated databases and storage volumes. Furthermore, every customer has its own set of application instances processing those data. Kubernetes namespaces separate those application instances from other customers. Private connectivity to the application endpoints is not possible in shared setups as endpoints are exposed to the internet (secured with client certificates or IP Whitelisting).

Dedicated Setup

Single tenant architecture with a dedicated Kubernetes Cluster for the individual customer with physical separation of customer data. Every customer has its own network, databases, storage volumes, search instances and application instances. The infrastructure used for hosting is not shared with any other customer. Application endpoints are not exposed to the public internet. On demand this setup allows private communication with the customer's cloud accounts/subscriptions (e.g. by network peering or a transit gateway) or allows VPN connection to the customer's hosting network.

The Dedicated Setup is currently only available on AWS. The Asset Administration Services on Azure (using AKS, Azure Kubernetes Service) and the StackIT setup (using STACKIT Kubernetes Engine, SKE) are currently offered in the Shared Setup only.

2.1. Infrastructure Components

The Actico Services depend on infrastructure components like network, compute instances or databases for providing a fully functional cloud service.

AWS

Actico leverages facilities, services and infrastructure components offered by AWS and currently uses following AWS Services:

- AWS IAM (Identity and Access Management) - Access and Service Roles
- AWS VPC (Virtual Private Cloud) - Networking
- AWS Security Groups — Firewall
- AWS Secrets Manager — Secret Management
- AWS KMS — Key Management
- AWS EKS (Elastic Kubernetes Service) - Container Orchestration
- AWS EC2 — Compute Resources for Workload
- AWS EBS — Shared Storage for Workload
- AWS RDS — Databases
- AWS OpenSearch — Search indices
- AWS ActiveMQ
- AWS Route 53 — DNS service
- AWS S3 — Block Storage
- AWS ECR — Container Registry
- AWS Code Commit — GitOps Repositories
- AWS Cloud Watch — Monitoring and Alerts
- AWS Shield — DDoS Protection
- AWS Backup — Backup Management

The mentioned AWS Services are provided by infrastructure automation software to avoid manual processes and danger of misconfiguration. All customer infrastructure configurations are held in Git repositories and state stores.

Azure

Actico leverages the following Azure services for the Asset Administration Services:

- Microsoft Entra ID + Azure RBAC — Access and Service Roles
- Azure VNet (Virtual Network) — Networking
- Azure NSG (Network Security Group) — Firewall
- Azure Key Vault — Key Management
- AKS (Azure Kubernetes Service) — Container Orchestration
- Kubernetes-hosted PostgreSQL — Databases. The Asset Administration Services currently run PostgreSQL inside the Kubernetes cluster rather than as a managed service; migrating to Azure Database (DBaaS) is planned for the future.

- Azure Blob Storage — Object Storage
- Azure Monitor — Monitoring and Alerts
- Self-hosted Harbor — Container Registry (shared with StackIT workloads)
- GitHub — GitOps Repositories
- Velero — Backup Management

StackIT

For the StackIT setup, Actico uses the following StackIT services, analogous to the Azure set above:

- StackIT IAM — Access and Service Roles
- StackIT Security Groups — Firewall
- StackIT Key Management — Key Management
- STACKIT Kubernetes Engine (SKE) — Container Orchestration
- StackIT's managed PostgreSQL service — Databases
- OpenSearch — Search indices
- RabbitMQ — Messaging
- STACKIT Object Storage — Object Storage
- Self-hosted Harbor — Container Registry (shared with Azure workloads)
- GitHub — GitOps Repositories

NOTE

StackIT does not yet have a security monitoring/threat-detection tool equivalent to AWS GuardDuty/Security Hub or Microsoft Defender for Cloud — see the Security Monitoring chapter for details.

NOTE

Private connectivity is not currently supported on StackIT — see the Private Interconnectivity chapter.

IMPORTANT

As of today, backing resources such as databases, OpenSearch and MQ servers cannot yet be deployed within the private Kubernetes network on StackIT and are instead reachable over the internet with IP whitelisting applied. This is a current limitation of the StackIT platform, not within Actico's control — see the Network Segmentation chapter.

2.2. GitOps

Actico implements the GitOps Principle as management method for software components and for managing infrastructure components. This means that the desired state of software and infrastructure components is defined in Git repositories, and a GitOps tool continuously synchronizes the desired state against the actual state. Every change to the system can be tracked and audited via Git commits. Furthermore, GitOps provides the possibility for self-healing systems because if the managed environments deviate from the desired state, it is constantly and

automatically trying to bring the system back to that desired state. Changes to the systems are approved by at least one other person in pull requests and the change itself is tracked in the internal ticketing system with referencing the pull request.

This principle applies consistently across all cloud infrastructure providers used by Actico. AWS infrastructure repositories are hosted on AWS Code Commit; the Azure and StackIT infrastructure repositories are hosted on GitHub.

2.3. Physical Security

Our IT infrastructure providers are responsible for providing appropriate physical security measures.

Further information about the physical security provided by AWS is available from the AWS website at:

<https://aws.amazon.com/compliance/data-center/controls/>

Corresponding information for the Azure and StackIT data centers is available from Microsoft's and STACKIT's respective compliance resources.

3. Operational System Access

Actico has an Authorization Policy in place which handles access management principles, rules and procedures.

Actico uses the native Access Management Services of its cloud infrastructure providers to protect all access to assets managed on that provider: AWS IAM on AWS, Microsoft Entra ID and Azure RBAC on Azure, and StackIT IAM on StackIT. Corporate password requirements are defined by company policy and implemented in those Access Management Services. These requirements include password complexity, length, history, and duration. Users are mapped to provider-native roles which are used to manage access to cloud services.

All other tools used to manage customer environments (non-cloud-native tools) are also access-restricted by Actico's user directory with same password policies applied.

All access to Actico's systems is restricted by either (often a combination of multiple methods)

- User Login with 2-factor-authentication
- Access restriction via VPN
- Whitelisting of IP's
- Provider-native firewall rules (e.g. AWS Security Groups)
- IAM Policies

Which access restriction is used for which communication channel is documented in the managed list of access points in our internal management system. We aim to have a combination of at least two of the mentioned methods. Root/administrative account access is secured via hardware-based

multi factor authentication.

3.1. Granting and Changing Access

Management of access is regulated by a policy which specifies a process how to request, document, grant and revoke access to cloud provider accounts and other technical systems. Approvals follow the 4-eye principle.

Each request for getting and changing access requires an access request via ticket in the ticketing system which must be approved by the asset owner and CISO (Chief Information Security Officer) before access is granted or changed. The process is documented in the workflow of the ticket. This process is also required for setting up technical users.

When individuals leave the company tasks are triggered to check for termination of access to management and customer systems. If there was a granted access, it is terminated and documented within the offboarding process. Without the appropriate access rights, the user cannot access services within the Actico environment or any of its cloud infrastructure providers.

3.2. Periodic User Access Review

A manual user access review is performed on a regular basis to ensure that access for each user is up-to-date and in line with job responsibilities. Any required access alterations identified during the review are addressed in a timely manner.

4. Network Segmentation

AWS

Actico Services are based on AWS VPC Networking and use network separation as a guiding principle. In the dedicated setup customers have an own dedicated VPC network completely separated from other customers and our shared setup implements network separation by Kubernetes Network Policies. AWS Security Groups are used in both types to control network traffic on another level. Furthermore, production and non-production setups are operated in different subnets for network separation.

Actico Services operate with different set of IP's outgoing (NAT) which allows IP filtering on customer side for incoming traffic from Actico Services.

Azure

The Asset Administration Services on Azure are currently offered in the Shared Setup only (see the General Architecture chapter), which implements network separation by Kubernetes Network Policies. Azure NSGs (Network Security Groups) are used to control network traffic on another level, analogous to AWS Security Groups.

StackIT

The StackIT setup is currently offered in the Shared Setup only (see the General Architecture chapter), which implements network separation by Kubernetes Network Policies. StackIT Security Groups are used as the additional network traffic control layer, analogous to Azure and AWS.

IMPORTANT

As of today, backing resources such as databases, OpenSearch and MQ servers cannot yet be deployed within the private Kubernetes network on StackIT. They are reachable over the internet with IP whitelisting applied instead. This is a current limitation of the StackIT platform, not within Actico's control.

5. Encryption

Actico Services use industry-accepted encryption products (leveraging at least 2048-bit RSA server certificates and 128-bit symmetric encryption keys) to protect customer data and communications during transmissions between a customer's network and Actico's services, including through Transport Layer Encryption (TLS). Customer data is also encrypted at rest.

Actico has a Cryptography Policy in place which regulates use of encryption. Actico encrypts information assets where possible and appropriate, e.g. databases, database backups and search indices are encrypted at rest. Actico documents information assets being encrypted as well as corresponding key management.

AWS

Actico encrypts information assets with keys managed in AWS Key Management Service. Keys are generated by automation scripts or managed by AWS itself. Symmetric Keys use AES-256-GCM algorithm by default. If possible, Actico activates regular rotation of the encryption key. Bring Your Own Key is not supported yet.

Following entities are encrypted:

Entity	Key Management	Automatic Key Rotation
Database Data at Rest	AWS KMS	Yes
Database Snapshots/Backups	AWS KMS	Yes
ECR repositories	AWS S3 Managed Keys / AWS KMS	Yes
Secrets Manager Secrets	AWS KMS	Yes
EC2 Instance Volumes	AWS KMS	Yes
EC2 Volume Snapshots/Backups	AWS KMS	Yes
S3 Buckets	AWS S3 Managed Keys	Yes
EKS Secrets (etcd)	AWS KMS (TF managed)	Yes

Azure

Actico encrypts information assets with keys managed in Azure Key Vault. Unlike on AWS, automatic key rotation is currently only partially enabled across the encrypted entities on Azure; extending automatic rotation to full coverage is planned.

Following entities are encrypted:

Entity	Key Management	Automatic Key Rotation
Database Data at Rest (Kubernetes-hosted PostgreSQL, on Azure managed disks)	Azure Key Vault	Partial
Database Snapshots/Backups (Velero)	Azure Key Vault	Partial
Key Vault Secrets	Azure Key Vault	Partial
AKS Node/Persistent Disk Volumes	Azure Key Vault	Partial
AKS Volume Snapshots/Backups	Azure Key Vault	Partial
Blob Storage	Azure Storage Service Encryption / Azure Key Vault	Partial
AKS Secrets (etcd)	Depends on configuration	Depends on configuration

StackIT

For the StackIT setup, Actico uses StackIT's Key Management service, analogous to Azure and AWS. The level of automatic key rotation coverage will be confirmed as the setup matures.

Following entities are encrypted:

Entity	Key Management	Automatic Key Rotation
Database Data at Rest (PostgreSQL Flex)	STACKIT-managed or STACKIT KMS	No
Database Snapshots/Backups	STACKIT-managed or STACKIT KMS	No
Secrets Manager Secrets	STACKIT-managed	No
SKE Node/Persistent Volumes	STACKIT KMS	No
SKE Volume Snapshots/Backups	STACKIT KMS	No
Object Storage	STACKIT-managed, AES-256 by default	No
SKE Secrets (etcd)	STACKIT-managed	No

6. Private Interconnectivity

Private connectivity to customer's services is only possible in the dedicated setup where application endpoints are not exposed to the public internet by default. In shared setups private connectivity to the application endpoints is not possible as endpoints are exposed to the internet (secured with client certificates or IP Whitelisting). As the Dedicated Setup is currently only available on AWS (see the General Architecture chapter), private interconnectivity is currently an AWS-only capability.

AWS

Our dedicated setup supports AWS VPC Peering which is connecting to an AWS VPC or an AWS Transit Gateway of the customer. Furthermore, VPN connectivity via AWS Site-To-Site VPN is possible (extra pricing). This allows completely private traffic between Actico Services and customer's IT infrastructure. If configured no traffic will be routed via Internet.

If AWS Site-To-Site VPN is used, then high availability can only be guaranteed if customers provide configuration for both tunnels. Otherwise, AWS cannot switch to a redundant tunnel when applying updates.

Azure

Not applicable — the Asset Administration Services on Azure are currently offered in the Shared Setup only, where private connectivity to application endpoints is not possible.

StackIT

Not applicable — the StackIT setup is currently offered in the Shared Setup only, where private connectivity to application endpoints is not possible.

7. Firewall

AWS

We ensure network security with AWS Security Groups, Network ACL's and IP Whitelisting. A security group acts like a virtual firewall at the instance level. It controls inbound and outbound traffic for specific instances within a Virtual Private Cloud (VPC). Security Groups are also attached to our network load balancers and databases which only allow specific patterns and types of incoming and outgoing traffic.

A Network ACL is a layer 3 firewall that controls traffic at the subnet level within a VPC. Network ACL's define rules that allow or deny traffic based on source/destination IP addresses, ports, and protocols.

IP Whitelisting on the ingress controller restricts access to a specific customer deployment to a set of trusted IPs which can be defined by the customer.

Azure

We ensure network security on Azure with NSGs (Network Security Groups), which act as a virtual firewall analogous to AWS Security Groups, controlling inbound and outbound traffic for resources within an Azure VNet.

StackIT

The StackIT setup uses StackIT Security Groups as the equivalent firewall layer, analogous to Azure and AWS.

8. Services System Access

Access to Actico Services requires authentication via one of the supported mechanisms, including user ID/password, OpenID Connect, OAuth, API Key or delegated authentication as determined and controlled by the customer.

Actico Services use HTTPS protocol for communication. All services use the latest TLS standards which is currently TLS 1.2 and TLS 1.3. Server certificates, which have at least RSA 2048 bit standard.

Actico Services require one of the following two methods as additional authorization layer:

- IP Whitelisting (max. 10 IP's)
- Use of client certificate with mTLS (certificate provided by Actico)

IP Whitelisting is not possible for offerings in combination with Salesforce platform.

User access log entries will be maintained, containing date, time, user ID and source ip address. Note that source IP address might not be available if NAT (Network Address Translation) or PAT (Port Address Translation) is used by the customer or its ISP.

This applies identically regardless of the underlying cloud infrastructure provider.

9. Services User Management

Customer applications provided by Actico Services have their own user management which is within responsibility of the customer and not in scope. By default, we apply our Actico password policies on new customer setups. We recommend revising and to activate multi factor authentication.

Actico Services use an OpenID Connect identity provider for managing user access to our services. Every customer gets its own "realm" where it can manage its users. No customer has access to a "realm" of another customer. The realms are logically separated which means all customer realms are managed within one cluster of Actico's identity provider. Only dedicated setups have an own instance of the identity provider cluster and with that a physical separation of the user management — currently only available on AWS, as the Dedicated Setup is not yet offered on Azure

or StackIT (see the General Architecture chapter). Both non-production and production environments have its own identity provider and with that its own realm so that you can distinguish user access management between productive and non-productive environments.

NOTE

This centralized, realm-based model applies to the ACTICO Platform and ACS. The Asset Administration Services on Azure currently use a separate Keycloak instance per customer and per environment, rather than the shared central identity provider cluster described above. Migrating the Asset Administration Services onto the central Keycloak is planned for the future.

10. Connectivity Identity Provider Customer

Actico user management allows the connectivity of our identity provider with the customer's identity provider. Actico supports identity providers with standard OpenID Connect and OAuth2 protocols like EntraID or Okta. The customer gets an user from our identity provider which has the rights to fully configure and control the connectivity to the customers identity provider. It is possible to have different identity providers configured for productive and non-productive environments.

11. Passwords

Customer passwords are stored (if stored at all) using a one-way salted hash. Currently the default algorithm for user management passwords is PBKDF2 with SHA256. Passwords are not logged. Actico personnel will not set a defined password for a user. Passwords are reset to a value which must be changed on first use.

12. Reliability

NOTE

This section does not apply to non-production environments.

Actico Services are configured and deployed in a highly available manner. Highly available refers to the overall fashion in which the service and its underlying infrastructure are operated and deployed. Services are deployed across multiple availability zones within a region. Systems are designed to recover from failure in a minimally disruptive way. Minimally Disruptive means that the system is designed to continue operating during failure events in the infrastructure. The infrastructure is designed to recover from failure in an automated fashion. For example, productive databases have a read replica in another availability zone for failover purpose or productive application instances have at least 2 replicas.

Actico uses following general concepts to achieve reliability, applied consistently across cloud infrastructure providers:

- Usage of a second availability zone within a region
- Usage of database replication to another instance / read replicas for production instances (not applicable for the Asset Administration Services)

- Usage of clusters with multiple nodes for search / messaging components
- Usage of storage volume replication to other nodes
- Usage of redundant container instances

AWS

On AWS, this is implemented via a second AWS availability zone, AWS RDS read replicas, multi-node OpenSearch/ActiveMQ clusters, and redundant EKS-managed container instances.

Azure

On Azure, this is implemented via a second Azure Availability Zone and redundant AKS-managed container instances. Database replication and/or read replicas are not in use for the Asset Administration Services today, as their databases are self-hosted PostgreSQL within the Kubernetes cluster. This is expected to change once the planned migration to Azure Database is completed.

StackIT

On StackIT, this is implemented via database replication to another instance for production instances (via STACKIT's managed PostgreSQL Flex service), multi-node OpenSearch/RabbitMQ clusters, and redundant SKE-managed container instances.

13. Data Backup and Disaster Recovery

Database backups are continuous, incremental and quickly restorable to any point within the backup retention period. Backups are taken daily and kept for 14 days. Furthermore, Actico keeps monthly backups for 6 months. Backups are encrypted.

Actico Services' disaster recovery plans have the following target recovery objectives: (a) restoration of the service (RTO — recovery time objective) within 12 hours after Actico's declaration of a disaster; and (b) maximum customer data loss (RPO — recovery point objective) of up to 24 hours on Azure and StackIT, and varying between 10 minutes and 24 hours depending on the scenario on AWS. However, these targets exclude a disaster, or multiple disasters causing the compromise of multiple availability zones at the same time and exclude non-productive environments. Backup retention (daily backups kept for 14 days, monthly backups kept for 6 months) is identical across all three cloud infrastructure providers.

Actico Services' disaster recovery processes are built on top of the standard deployment process; this ensures that disaster recovery is done using a well understood and reproducible process. We are doing several disaster recovery tests during the year.

AWS

Actico Services use various solutions for data backup on AWS, such as:

- AWS Services Backup functionality

- AWS Backup Manager
- Velero Backup Solution (Kubernetes-native backup of cluster state / resource configuration)

Azure

Actico Services use Velero for data backup on Azure, including volume snapshots of persistent data in addition to Kubernetes cluster state / resource configuration.

StackIT

For the StackIT setup, data backup relies on the native backup functionality of each respective STACKIT service, rather than a single unified backup tool.

14. Governor Limits

In order to protect Actico Services from unusual and excessive workload and/or to protect from monopolizing resources in shared tenant architectures Actico enforces governor limits operating the services. Agreed values for governor limits can be found in a separate agreement.

15. Security Monitoring and Analysis Tools

Actico uses systems to secure its provided services and data as well as protecting the systems against malicious activities.

AWS

- **AWS GuardDuty (Intrusion Detection)**—a threat detection service that continuously monitors for malicious activity and unauthorized behaviour to protect the customers' AWS accounts and workloads. With GuardDuty, Actico performs a continuous threat detection for Actico systems at AWS.
- **AWS GuardDuty Extended Threat Detection**—automatically detects multi-stage attacks that span data sources, multiple types of AWS resources, and time, within an AWS account.
- **AWS Security Hub**—gives customers a comprehensive view of their high-priority security alerts and compliance status across AWS accounts. Actico has enabled the following security standards in Security Hub and acts accordingly to alerts:
 - AWS Foundational Security Best Practices v1.0.0
 - CIS AWS Foundations Benchmark v1.4.0
- **AWS Config**—enables Actico to assess, audit, and evaluate the configurations of their AWS resources, review changes in configurations and relationships between AWS resources, and determine overall compliance against Actico's internal guidelines.
- **AWS Health Dashboard**—provides alerts and remediation guidance when AWS is experiencing events that may impact customers, and a personalized view into the performance and availability of the AWS services underlying Actico's resources.

- **IAM Access Analyzer** — monitors and analyses policies applied to Actico's AWS resources, e.g. generating a finding when a policy allows access to a resource from outside the account or when accounts are unused.
- **AWS Trusted Advisor** — provides recommendations that support AWS best practices, optimize AWS infrastructure, improve security and performance, reduce costs, and monitor service quotas.
- **AWS ECR Image Scanning** — scans container images in the registry for known CVEs. Actico does not allow promoting images with vulnerabilities to releases; vulnerability scanning is also integrated into development.
- **AWS Shield Standard** — used to prevent DDoS attacks.

Further information about security provided by AWS is available from the [AWS Security Website](#).

Azure

- **Microsoft Defender for Cloud** — used for threat detection and security posture management of the Asset Administration Services on Azure, analogous to AWS GuardDuty and Security Hub. Actico has enabled the following security standards in Defender for Cloud and acts accordingly to alerts:
 - Microsoft Cloud Security Benchmark
 - CIS Azure Foundations Benchmark v2.0.0
- **Azure Service Health** — provides a personalized view of the health of the Azure services and regions underlying Actico's resources, including outages, planned maintenance and health advisories, analogous to AWS Health Dashboard. Available by default for every subscription at no extra cost.
- **Azure Advisor** — analyzes Actico's Azure resource configuration and usage and provides personalized recommendations on reliability, security, performance, cost and operational excellence (including recommendations surfaced from Microsoft Defender for Cloud), analogous to AWS Trusted Advisor. Available by default for every subscription at no extra cost.
- **Azure DDoS Infrastructure Protection** — automatically protects every public IP in Azure against common network-layer (L3/L4) DDoS attacks, analogous to AWS Shield Standard. Enabled by default at no extra cost; Actico does not use the paid DDoS Network Protection tier or a Web Application Firewall, relying on Traefik as ingress controller.

StackIT

IMPORTANT

StackIT currently does not offer a security monitoring / threat-detection tool equivalent to AWS GuardDuty, AWS Security Hub or Microsoft Defender for Cloud. This is a known gap for the StackIT setup and is called out here explicitly rather than left unaddressed.

16. Vulnerability and Patch Management

There is a continuous process for vulnerability scanning, reporting, patching and review. Individual or centralized services apply patches and remediate vulnerabilities, which is verified and reported through a centralized process. Responses are tracked from compliant and non-compliant services and hosts, to ensure timely resolution of incidents of non-compliance.

Vulnerability Management System dictates that regularly scans of all products which are delivered to production environments must take place. Every detected vulnerability will be assessed by risk. According to criticality and impact a timeline for the fix will be defined.

Regular vulnerability scans are conducted for each product release which has not reached end of life.

Underlying infrastructure like Kubernetes clusters, worker nodes, databases and other add-ons like storage drivers or network plugins are regularly security patched and updated to the newest versions. This also includes basic infrastructure software components like ingress controller or our identity provider software.

This process applies consistently across all cloud infrastructure providers used by Actico.

AWS

AWS automatically scans artefacts after pushing into the artefact management (ECR). Assets with vulnerabilities rated "High" or "Critical" are not allowed to be deployed on production.

Azure and StackIT

Container images for Azure and StackIT workloads are stored in a self-hosted Harbor registry (shared across both providers), rather than a cloud-provider-managed registry such as AWS ECR. Harbor scans pushed images for known vulnerabilities; unlike on AWS, images with "High" or "Critical" vulnerabilities are not yet automatically blocked from deployment to production.

17. Malware Scans

For any instance that allows external access to the cloud environment, an event-based malware scan has been enabled. This automated security measure is triggered to scan the system for potential threats whenever suspicious events are detected. This proactive approach ensures that any malicious activity is identified and addressed promptly, enhancing the overall security posture of our infrastructure.

NOTE

This event-based malware scanning is currently in place for AWS only; it is not yet implemented for Azure or StackIT.

18. Viruses

For Actico Services that allow the upload and execution of code, the customer is responsible for the uploaded executable code does not contain any viruses or critical vulnerabilities.

19. Penetration Tests

The main objective of penetration testing is to assess the security posture of the product and the underlying infrastructure. This process helps Actico to understand the product resilience to cyber threats and ensure that sensitive data and functions are adequately protected. By performing penetration testing, vulnerabilities can be proactively addressed before they are maliciously exploited.

Penetration testing is performed yearly by external parties, across all cloud infrastructure providers used by Actico. Regular testing ensures that security measures remain effective over time as new threats and vulnerabilities emerge.

By conducting penetration testing, we promote a security-focused approach and protect the data of our customers and partners. This is a critical aspect of our security strategy, which aims to protect sensitive data and secure our company in today's constantly evolving threat landscape.

20. Review Process (Security Logs)

In addition to the automated systems check, manual checks (e.g. log file inspections or security reviews) are also carried out. These tasks are essential to ensure that compliance is up to date, in line with regulations, and consistently followed throughout the organization. Regular inspection and review of protocols involves a series of tasks intended to assess the effectiveness, relevance, and compliance of policies.

Log file protocol inspection involves the analysis and review of log records to detect anomalies, security breaches, operational issues, and other critical information.

In the reviews a protocol is created, and every finding will lead to a ticket in the internal ticketing system and be handled in a timely manner.

21. Security Monitoring

Actico defines a Security Incident as a security-related adverse event in which there was a loss of data confidentiality, disruption of data or systems integrity, or disruption or denial of availability. Actico monitoring tools are implemented to detect unusual or unauthorized activities and conditions at ingress and egress communication points. Depending on the intended use case, these tools monitor server and network usage, port scanning activity, application usage, and unauthorized intrusion attempts.

Actico has a documented information security process which outlines an organized approach for responding to security breaches and incidents. The Security team is responsible for monitoring

systems, tracking issues, and documenting findings of security-related events. Records are maintained for security breaches and incidents, which include status information, information required for supporting forensic activities, and evaluation of incident details.

As part of the process, potential breaches of customer content are investigated and escalated to General Management and Legal. Affected customers and regulators are notified of breaches and incidents when required.

22. Incident Management

Actico has implemented incident response procedures, which consist of technical mechanisms, organizational infrastructure, and other procedures to detect, respond, and help preventing security incidents. Actico's technical infrastructure includes monitoring systems for detecting and alerting Actico personnel of security events and incidents. Actico personnel identifies potential incidents and documents findings for investigation. Incidents with significant risk to the environment are prioritized for response and mitigation.

If an incident is assigned a sufficiently high severity, applicable contingency plans are invoked. When an emergency response plan is invoked, personnel work with all necessary resources on the topic.

Incident response procedures are in place (Management of Information Security Incidents Process) that outline the activities. Actico CISO tracks detected security events, checks for necessary actions and coordinates follow up processes.

Actico notifies impacted customers without undue delay of any unauthorized disclosure of their respective customer data of which Actico becomes aware to the extent permitted by law.

23. Change Management

Actico applies a systematic approach to manage changes so that changes to systems are reviewed, tested, approved, and well communicated. The goal of Actico's change management process is to prevent unintended service disruptions and maintain the integrity of service to the customer.

Each change is tracked within a ticketing system. Appropriate authorizations and approvals needed for the changes are defined in the tickets and corresponding workflows.

Changes pushed into production are closely monitored so that the impact can be evaluated. Rollback procedures are documented so that the service can be reverted to the previous state if needed.

Emergency changes need approval from the Emergency Change Advisory Board (ECAB). The ECAB focuses on risk analysis and risk minimization. Appropriate decisions are made as a balanced tradeoff between risk and reward. Depending on the change other people (e.g. General Manager, ISB or DSO) could be involved if necessary.

Examples of Emergency Changes:

- Implementing a security patch to a zero-day exploit
- Isolating the network from a large-scale Distributed Denial of Service (DDoS) attack

This process applies consistently across all cloud infrastructure providers used by Actico.

24. Release Management and Maintenance

Actico uses semantic versioning to ensure clarity and predictability in how we manage updates to our services. Major version updates (X.y.z) may require your attention to adjust your systems due to significant changes. However, minor and patch updates are designed to be seamless. These updates include new features, improvements, and bug fixes that are backward-compatible, meaning you can deploy them without any manual intervention or compatibility issues. This allows you to benefit from the latest enhancements and fixes with minimal effort.

Patch version updates (x.y.Z) can be applied without any additional effort for the customer. If a patch release is caused by "high" or "critical" vulnerabilities, it will be deployed as quick as possible. The customer will be informed about the deployment. There is no impact for the customer as patch releases don't contain new functionality. Patch releases guarantee a secure setup of the customer environments.

Minor version updates (x.Y.z) should be reviewed by our customers to ensure they meet their expectations in functionality, compliance and performance but can also be applied without additional effort for the customer. They are designed to be non-disruptive and do not contain breaking changes in functionality or API's. They are backward-compatible and do not require any changes or manual actions on their part, ensuring smooth and effortless transitions. This aspect ensures that customers can take advantage of improvements and new features without worrying about integration issues or downtime.

Minor releases are announced in advance and can be tested on non-production environments prior to installation on production environments. After 1 week of testing, new Releases get promoted to upper-level environments until they reach production in the end. The customer gets informed about the promotion to the next environment and can postpone it if necessary to repeat its tests. Minor releases may be associated with downtimes. If so, the deployment is done in our maintenance windows and will be communicated with the customer.

Major releases contain major new functionality, are announced at least 30 days in advance and can be tested on non-production environments prior to installation on production environments. After 21 days of testing, they get promoted to upper environments until they reach production in the end. The customer gets informed about the promotion to the next environment to be able to repeat its tests if necessary. If there are no or only minor breaking changes, test period on pre-production environments can be decreased. Major releases may be associated with downtimes. If so, deployment is done in our maintenance windows and will be communicated with the customer. Major releases may contain breaking changes in functionality and API's. If so, this is communicated in advance.

Maintenance work regarding general infrastructure changes or upgrades not directly related to Actico Services' functionality will always be communicated at least 7 days in advance.

Actico asks for an email address from the customer for notifications. This needs to be a distribution list to be long-lasting and to prevent that customers miss any notifications.

There is no difference in the release management for shared and dedicated infrastructure setup, nor between the different cloud infrastructure providers used by Actico.

25. Maintenance Windows

For some patches, releases or maintenance work a downtime is required for the deployment. We are improving constantly to reduce the number of releases which need a downtime (e.g. by using rolling upgrades). If a downtime is implied, the deployment or maintenance work takes place in specific maintenance windows which are different in every deployment region and are set to be outside of business hours. The following table shows current maintenance window definitions for the different regions:

Region	Day	Time
Europe	Thursday	20:00 - 22:00 CET/CEST
	Sunday	15:00 - 22:00 CET/CEST
US	Monday — Thursday	02:00 am - 05:00 am EST/EDT
	Sunday	09:00 am - 04:00 pm EST/EDT
Asia-Pacific	Monday - Wednesday	22:00 - 24:00 SGT (when CET in Germany) / 21:00 - 23:00 SGT (when CEST in Germany)
	Thursday	01:00 - 03:00 SGT (when CET in Germany) / 00:00 - 02:00 SGT (when CEST in Germany)
	Sunday	22:00 - 05:00 SGT (when CET in Germany) / 21:00 - 04:00 SGT (when CEST in Germany)

The Azure region (Germany West Central, Frankfurt) and the StackIT region (Germany South, eu01) both fall within the "Europe" row above and use the same maintenance window.

26. Availability Monitoring

NOTE | This section does not apply to non-productive environments.

Systems are designed to monitor key operational metrics and alarms are configured to automatically notify operations when alarm thresholds are crossed. An on-call schedule is implemented with personnel available 24/7 to respond to operational issues.

Actico Services utilize different tools to monitor and evaluate their service's health (i.e., capacity, resiliency, and availability). Additionally, application metrics are monitored and alerts for those application metrics are defined. These tools are configured to automatically alert assigned team members of issues impacting service health. This applies consistently across all cloud infrastructure providers used by Actico.

27. Business Continuity

Actico has undergone ISO 22301 certification for Business Continuity Management. Procedures for Business Continuity Management are in place, to provide the organization with the ability to effectively respond to threats such as natural disasters or data breaches and protect the business interests of the organization. Actico Services are part of that BCM process and have own BCM plans active to reflect the different scenarios and take appropriate action.

Actico uses a common set of criteria to determine the relevancy and frequency of failover exercises. Where relevant, failover exercises are conducted on a regular basis to test applications and related data.

Actico's business continuity plans are tested and updated through the due course of business.

28. Analytics

Actico may track and analyze the usage of services for the purposes of security and helping improve both services and the user experience in using the services. For example, we may use this information to understand and analyze trends or track which of our features are used most often to improve product functionality.

Additionally, Actico may share such anonymous usage data on an aggregate basis in the normal course of operating our business; for example, we may share information publicly to show trends about the general use of our services.

Actico will not share customer data consisting of personally identifiable information, nor any data that will or could be used to identify customers, their users, their consumers, or any individual, company or organization. Actico may use Customer Data on an anonymized aggregate basis for purposes such as research, marketing, analysis, and benchmarking, and other purposes reasonably required to develop, deliver, and provide ongoing innovation to Actico Services.